1-31. (Cancelled)

32. (Currently amended) An isolated and purified nucleic acid molecule comprising the nucleotide sequence of SEQ ID NO[[.]]: 13 or a sequence of about 10 to about 20 nucleotides from SEQ ID NO: 13.

33. (Cancelled)

- 34. (Currently amended) A composition consisting essentially of an isolated nucleic acid molecule comprising consisting essentially of the nucleotide sequence of SEQ ID NO[[.]]: 13 or a sequence of about 10 to about 20 nucleotides from SEQ ID NO: 13.
- 35. (Previously presented) The composition of claim 34, further comprising either SEQ ID NO: 56 or 57.

36. (Cancelled)

- 37. (Currently amended) A primer comprising an isolated and purified nucleic acid molecule having about 10 to about 20 nucleotides of position 586 to 606 or position 791 to 810 of SEQ ID NO: 13.
- 38. (Previously presented) A composition comprising the primer according to claim 37.

39. (Cancelled)

- 40. (Previously presented) A method of detecting a particular H serotype of *E. coli* in a sample, the method comprising the following steps:
- (a) contacting the sample, under hybridizing conditions, with at least one nucleic acid molecule according to claim 32 wherein the at least one nucleic acid molecule is specific for a particular flagellin gene associated with the particular H serotype of *E. coli*; and
- (b) detecting any hybridized nucleic acid molecules wherein the presence of specifically hybridized nucleic acid molecules indicates the presence of that H serotype of *E. coli* in the sample.
- 41. (Previously presented) A method of detecting a particular H serotype of $E.\ coli$ in a sample, the method comprising the following steps:
- (a) contacting the sample, under hybridizing conditions, with a pair of nucleic acid molecules wherein one of the pair is specific for a flagellin gene associated with the particular H serotype of *E. coli* and is a nucleic acid molecule according to claim 32 and the other one of the pair comprises SEQ ID NO: 57; and
- (b) detecting any hybridized nucleic acid molecules wherein the presence of hybridized nucleic acid

molecules signifies the presence of the particular H serotype of E. coli in the sample.

42. (Previously presented) A method according to claim 40 or 41 wherein the hybridized nucleic acid molecules are detected by Southern Blot analysis.

43-45. (Cancelled)

- 46. (Previously presented) A method for the detecting the presence of a H and O serotype of E. coli in a sample, the method comprising the following steps:
- (a) contacting the sample, under hybridizing conditions, with at least one pair of nucleic acid molecules wherein one of the pair is selected from the group consisting of:

wbdN (nucleotide position 79 to 861 of SEQ ID NO: 56),
wbdO (nucleotide position 2011 to 2757 of SEQ ID NO: 56),
wbdP (nucleotide position 5257 to 6471 of SEQ ID NO: 56),
wbdR (nucleotide position 13156 to 13821 of SEQ ID NO: 56),
wzx (nucleotide position 2744 to 4135 of SEQ ID NO: 56),
wzy (nucleotide position 858 to 2042 of SEQ ID NO: 56),
and the other one of the pair is specific for a flagellin gene
of E. coli and comprises SEQ ID NO: 57;

- (b) contacting the sample with a nucleic acid molecule according to claim 32 under hybridizing conditions; and
- (c) detecting any hybridized nucleic acid molecules wherein the presence of hybridized nucleic acid

molecules signifies the presence of the H and O serotype of the $E.\ coli$ in the sample.

- 47. (Previously presented) A method for detecting the presence of a particular H and O serotype of $E.\ coli$ in a sample, the method comprising the following steps:
- (a) contacting the sample, under hybridizing conditions, with at least one nucleic acid molecule derived from and specific for a gene involved in the synthesis of a particular E. coli O antigen, the gene encoding a transferase enzyme or an enzyme involved in the transport or processing of a polysaccharide or oligosaccharide unit wherein the nucleic acid molecule is selected from the group consisting of:

 wbdN (nucleotide position 79 to 861 of SEQ ID NO: 56),

 wbdO (nucleotide position 2011 to 2757 of SEQ ID NO: 56),

 wbdP (nucleotide position 5257 to 6471 of SEQ ID NO: 56),

 wbdR (nucleotide position 13156 to 13821 of SEQ ID NO: 56),

 wzx (nucleotide position 2744 to 4135 of SEQ ID NO: 56),
- (b) contacting the sample, under hybridizing conditions, with a nucleic acid molecule according to claim 32;
- (c) contacting the sample, under hybridizing conditions with a nucleic acid molecule comprising SEQ ID NO:57; and
- (d) detecting any hybridized nucleic acid molecules wherein the presence of hybridized nucleic acid molecules signifies the presence of the particular H and O serotype.

48. (Currently amended) A method according to claim
46 or 47 wherein the nucleic acid molecule of step (a) is a
forward primer or a reverse primer selected from the group
consisting of

| Forward primer sequence | Reverse Primer sequence |
|-------------------------------|--------------------------------|
| (nucleotide positions | (nucleotide positions |
| of SEQ ID NO:[[2]] <u>56)</u> | of SEQ ID NO:[[2]] <u>56</u>) |
| 79-96 | 861-844 |
| 184-201 | 531-514 |
| 310-327 | 768-751 |
| 858-875 | 2042-2025 |
| 1053-1070 | 1619-1602 |
| 1278-1295 | 1913-1896 |
| 2011-2028 | 2757-2740 |
| 2110-2127 | 2493-2476 |
| 2305-2322 | 2682-2665 |
| 2744-2761 | 4135-4118 |
| 2942-2959 | 3628-3611 |
| 5257-5274 | 6471-6454 |
| 5440-5457 | 5973-5956 |
| 5707-5724 | 6231-6214 |
| 13261-13278 | 13629-13612 |
| 13384-13401 | 13731-13714 |

49. (Previously presented) A method according to claim 46 or 47 wherein the hybridised nucleic acid molecules are detected by Southern Blot analysis.

50-55. (Cancelled)

- 56. (Previously presented) A method according to claim 40 or 41 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.
- 57. (Previously presented) A kit for identifying the H serotype of *E. coli*, the kit comprising a nucleic acid molecule according to claim 32, a primer according to claim 37, or a composition according to claim 34 or 35.
- 58. (Previously presented) A kit for identifying the H and O serotype of E. coli, the kit comprising:
- (a) a nucleic acid molecule according to claim32; and
- (b) at least one nucleic acid molecule selected from the group consisting of:

wbdN (nucleotide position 79 to 861 of SEQ ID NO: 56), wbdO (nucleotide position 2011 to 2757 of SEQ ID NO: 56), wbdP (nucleotide position 5257 to 6471 of SEQ ID NO: 56), wbdR (nucleotide position 13156 to 13821 of SEQ ID NO: 56), wzx (nucleotide position 2744 to 4135 of SEQ ID NO: 56) and wzy (nucleotide position 858 to 2042 of SEQ ID NO: 56).

- 59. (Currently amended) A kit for identifying the H and O serotype of E. coli, the kit comprising:
- (a) a nucleic acid molecule according to claim 32 and comprising SEQ ID NO: 57; and
- (b) at least one nucleic acid molecule selected from the group consisting of:

 wbdN (nucleotide position 79 to 861 of SEQ ID NO: 56),

 wbdO (nucleotide position 2011 to 2757 of SEQ ID NO: 56),

 wbdP (nucleotide position 5257 to 6471 of SEQ ID NO: 56),

 wbdR (nucleotide position 13156 to 13821 of SEQ ID NO: 56),

 wzx (nucleotide position 2744 to 4135 of SEQ ID NO: 56) and

 wzy (nucleotide position 858 to 2042 of SEQ ID NO: 56).
- 60. (Currently amended) A kit according to claim 58 or 59 wherein the nucleic acid molecule of step (b) comprises a nucleic acid molecule acting as a forward primer or a reverse primer selected from the group consisting of

| Forward primer sequence | Reverse Primer sequence |
|-----------------------------|----------------------------|
| (nucleotide position of | (nucleotide position of |
| SEQ ID NO:[[2]] <u>56</u>) | SEQ ID NO:[[2] <u>56</u>) |
| 79-96 | 861-844 |
| 184-201 | 531-514 |
| 310-327 | 768-751 |
| 858-875 | 2042-2025 |
| 1053-1070 | 1619-1602 |
| 1278-1295 | 1913-1896 |

Serial No. 09/701,132 Attorney Docket No. 6433/80968

| 2011-2028 | 2757-2740 |
|-------------|-------------|
| 2110-2127 | 2493-2476 |
| 2305-2322 | 2682-2665 |
| 2744-2761 | 4135-4118 |
| 2942-2959 | 3628-3611 |
| 5257-5274 | 6471-6454 |
| 5440-5457 | 5973-5956 |
| 5707-5724 | 6231-6214 |
| 13261-13278 | 13629-13612 |
| 13384-13401 | 13731-13714 |
| | |

primers shown in the Table above.

61. (Currently amended) A kit according to claim 58 or 59 wherein the nucleic acid molecule of step (a) comprises a forward primer and a reverse primer selected from the group consisting of

| Forward primer sequence | Reverse Primer sequence |
|-----------------------------|-----------------------------|
| (nucleotide position of | (nucleotide position of |
| SEQ ID NO:[[2]] <u>56</u>) | SEQ ID NO:[[2]] <u>56</u>) |
| 79-96 | 861-844 |
| 184-201 | 531-514 |
| 310-327 | 768-751 |
| 858-875 | 2042-2025 |
| 1053-1070 | 1619-1602 |

Serial No. 09/701,132 Attorney Docket No. 6433/80968

| 1913-1896 |
|-------------|
| 2757-2740 |
| 2493-2476 |
| 2682-2665 |
| 4135-4118 |
| 3628-3611 |
| 6471-6454 |
| 5973-5956 |
| 6231-6214 |
| 13629-13612 |
| 13731-13714 |
| |

forward and reverse primers shown in the Table above.

62. (Cancelled)

63. (Previously presented) A method according to claim 46 or 47 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.

64-65. (Cancelled)

- 66. (Previously presented) A kit for identifying the H and O serotype of E. coli, the kit comprising:
- (a) at least one primer according to claim 37; and

- (b) at least one nucleic acid molecule selected from the group consisting of:

 wbdN (nucleotide position 79 to 861 of SEQ ID NO: 56),

 wbdO (nucleotide position 2011 to 2757 of SEQ ID NO: 56),

 wbdP (nucleotide position 5257 to 6471 of SEQ ID NO: 56),

 wbdR (nucleotide position 13156 to 13821 of SEQ ID NO: 56),

 wzx (nucleotide position 2744 to 4135 of SEQ ID NO: 56) and

 wzy (nucleotide position 858 to 2042 of SEQ ID NO: 56).
- 67. (Currently amended) A kit for identifying the H serotype of E. coli, the kit comprising a nucleic acid molecule according to claim 32 and one or more nucleic acid molecules comprising the nucleotide sequence of SEQ ID NO: 57.
- 68. (Currently amended) A kit comprising a nucleic acid molecule according to claim 32 and one or more nucleic acid molecules comprising SEQ ID NO: 56 or 57.
- 69. (Previously presented) An isolated and purified nucleic acid molecule comprising the nucleic acid sequence from position 586 to 810 of SEQ ID NO:13.